



Works Eon

Interface®

Works Eon. Tone, texture, timeless.

Travelling through the unending space of time, not defined by a moment, classics are born. Works Eon captures that ethereal flowing nature of the cosmos, creating timeless spaces. Merging durable, handwoven textures with seamless, organic patterns, Works Eon is here creating exciting new possibilities.

Not only is it designed to look good, it's designed to last. With a minimalist profile achieved by a denser construction, it is engineered to deliver superior performance in areas of high footfall.

Works Eon is our latest addition to Works Series and is tied into that one vision – working smarter together for every space. Every detail of Works Series merges to give greater versatility and drive value, without costing the earth.

Combined with your ideas, each floor can create +Positive spaces™ which help their users thrive by letting them live, work, learn and regain inspiration every day. Each Works Series tile will prove to be the smart move for our planet's future too. As with every Interface product, they are Carbon Neutral, so they help you lower your carbon footprint with one positive step.








www.interface.com

Carpet Tile Works Eon **Colour** Ebony **Installed** Herringbone
LVT Drawn Lines **Colour** Bronze **Installed** Ashlar



Carpet Tile Works Eon **Colour** Cinder, Raven **Installed** Ashlar
LVT Textured Stones **Colour** Medium Concrete **Installed** Monolithic







Works Eon™ Colourline



2458-001-000 Ebony



2458-002-000 Dust



2458-003-000 Vapor



2458-004-000 Sable



2458-005-000 Fawn



2458-006-000 Mink



2458-007-000 Raven



2458-008-000 Cinder



2458-009-000 Haze



2458-010-000 Twilight



2458-011-000 Ash



2458-012-000 Fennel

Specifications

Works Eon™

Style Code	2458
Product Construction	Tufted Textured Loop
Yarn System	100% Solution Dyed Nylon
Machine Gauge	1/12
Pile Thickness	2.0mm +/- 0.5mm
Total Thickness	5.0mm +/- 0.5mm
Tile Size	25x100cm
Area of Use	Commercial - Heavy Use
Lifetime Antimicrobial	Intersept®
Soil/Stain Protection	Protekt ² ®
Installation Methods	Ashlar, Herringbone



Carbon Neutral Floors™
All of our products are carbon neutral and our programme is verified by an independent third party, Bureau Veritas.



All Interface manufacturing facilities in the Asia Pacific region maintain registration to ISO 9001 Quality Management Systems and ISO 14001 Environmental Management Systems.

Production specifications are subject to normal manufacturing tolerances and may be changed without notice. Slight variation in colour among different production lots are normal and should be considered in the overall installation plan. Products covered by manufacturer's written warranty only. All other warranties, including without limitation any implied warranties of merchantability or fitness for particular purpose, are hereby disclaimed. Contact your representative for written warranty information.

www.interface.com

Australia

Interface Australia
local toll free: 1800 804 361

India

Interface India
tel: +91 80 4613 1313

South East Asia

Interface Asia
tel: +65 6478 1510

South Korea

Interface South Korea
tel: +82 2 555 1734

Japan

Interface Japan
tel: +81 3 5733 5211

Beijing

Interface China
tel: +86 10 6590 7810

Hong Kong

Interface China
tel: +852 2802 0838

Shanghai

Interface China
tel: +86 21 6340 3868

1/2020
SF2458T0



Climate change is undeniable. And reversible. Our mission is to prove it.
Join the #ClimateTakeBack and help create a climate fit for life.