



Urban Retreat™

Interface®

Interface is everywhere. We manufacture in eight facilities on four continents. With a history of honoring the local culture and style, we introduce a new collection that synthesizes a developing worldview. Urban Retreat. Made Locally. Shared Globally.

There's a growing global community moving to the cities to live, work, and play because being connected goes beyond the latest technology to real proximity to the people and energy at the center.

And with the move, a new aesthetic emerges for an urban future that is technologically versatile, environmentally responsible and includes nature as the source and reminder of true inspiration.

Urban Retreat is a collection of nine styles sorted into pattern studies that range from refined textures to broad organic forms—all offered in a complimentary color palette.

Urban Retreat explores where concrete gives way to grass and looks at the deeply carved character of an old growth tree set against the architecture of a manmade grid.

Sparks fly when such disparate ideas sit side by side and Urban Retreat ignites.



Urban Retreat™ One

We see the city as a mash-up of sharp and blurred, classic and futurist, eclectic and austere. Right now we are most interested in that place where one idea meets the other and vibrations occur.

Urban Retreat One explores that space at the edge and in between. A progressive color story provides a few elements that can be assembled to explore ideas about color, form and the transitions from one to the other.

Urban Retreat One has three patterns. There are eight colorways in a complex primary pattern and eight boldly mixed colors in a transitional pattern. They share four accent tiles that link and separate each pattern at your discretion. Go ahead, mash it up.





PRODUCT UR101 COLOR 103505 FLAX/GRASS INSTALLED PATTERN BY TILE;
PRODUCT UR102 COLOR 102995 FLAX INSTALLED NON DIRECTIONAL;
PRODUCT UR103 COLOR 100641 GRASS INSTALLED NON DIRECTIONAL

UR101™ Colorline



103501 BARK/MOSS



103502 CHARCOAL/LICHEN



103503 STRAW/GRASS



103504 GRANITE/LICHEN



103505 FLAX/GRASS



103506 STONE/IVY



103507 SAGE/MOSS



103508 ASH/IVY

*Specifications

Modular, 50 cm x 50 cm	127110250H
Backing System	GlasBac®RE Tile
Yarn Manufacturer	Aquafil
Yarn System	100% Recycled Content Type 6 Nylon
Color System	100% Solution Dye
Construction	Tufted Pattern Loop
Lifetime Antimicrobial	Intersept®
Soil/Stain Protection	Protekt ² ®
Pile Thickness	0.139 in., 3.5306 mm
Pile Density	6,734
Total Recycled Content	80%
	(35% Post-Consumer)



NON DIRECTIONAL



PRODUCT UR101 COLOR 103504 GRANITE/LICHEN INSTALLED PATTERN BY TILE;
PRODUCT UR102 COLOR 102994 GRANITE INSTALLED NON DIRECTIONAL

UR102™ Colorline



102991 BARK



102992 CHARCOAL



102993 STRAW



102994 GRANITE



102995 FLAX



102996 STONE




102997 SAGE



102998 ASH

*Specifications

Modular, 50 cm x 50 cm	127100250H
Backing System	GlasBac®RE Tile
Yarn Manufacturer	Aquafil
Yarn System	100% Recycled Content Type 6 Nylon
Color System	100% Solution Dye
Construction	Tufted Pattern Loop
Lifetime Antimicrobial	Intersept®
Soil/Stain Protection	Protekt ² ®
Pile Thickness	0.130 in., 3.302 mm
Pile Density	7,200
Total Recycled Content	80% (35% Post-Consumer)





PRODUCT UR103 COLOR 100638 LICHEN INSTALLED NON DIRECTIONAL

UR103™ Colorline



100638 LICHEN



100639 IVY




100640 MOSS



100641 GRASS

*Specifications

Modular, 50 cm x 50 cm	127120250H
Backing System	GlasBac®RE Tile
Yarn Manufacturer	Aquafil
Yarn System	100% Recycled Content Type 6 Nylon
Color System	100% Solution Dye
Construction	Tufted Pattern Loop
Lifetime Antimicrobial	Intersept®
Soil/Stain Protection	Protekt ² ®
Pile Thickness	0.141 in., 3.5814 mm
Pile Density	7,149
Total Recycled Content	81% (35% Post-Consumer)



NON DIRECTIONAL QUARTER-TURN

Urban Retreat™ Two

Because we are chic and smart, we admire architecture of concrete, glass and steel. Because we are curious, we crave the unexpected shifts of nature's patterns and colors. And because we are of this age, we've decided we must have it all.

Urban Retreat Two collects the orderly and the organic in an exquisitely restrained palette. A simple grid and understated cord share space with an eccentric texture like the bark of an ancient tree. Mixing these patterns accentuates the differences in scale, volume and movement, revealing precisely what is special about each.

Urban Retreat Two presents three patterns. A shared neutral palette of eight colorways is drawn from the familiar and encourages nuanced studies in texture.





PRODUCT UR201 COLOR 101891 GRANITE INSTALLED ASHLAR

UR201™ Colorline



101888 BARK



101889 CHARCOAL




101890 STRAW



101891 GRANITE



101892 FLAX



101893 STONE



101894 SAGE



101895 ASH

*Specifications

Modular, 50 cm x 50 cm	126930250H
Backing System	GlasBac®RE Tile
Yarn Manufacturer	Aquafil
Yarn System	100% Recycled Content Type 6 Nylon
Color System	100% Solution Dye
Construction	Tufted Sheared
Lifetime Antimicrobial	Intersept®
Soil/Stain Protection	Protekt ² ®
Pile Thickness	0.345 in., 8.763 mm
Pile Density	5,390
Total Recycled Content	81% (35% Post-Consumer)






UR202™ Colorline



102959 BARK



102960 CHARCOAL



102961 STRAW



102962 GRANITE



102963 FLAX



102964 STONE



102965 SAGE



102966 ASH

*Specifications


Modular, 50 cm x 50 cm	126980250H
Backing System	GlasBac®RE Tile
Yarn Manufacturer	Aquafil
Yarn System	100% Recycled Content Type 6 Nylon
Color System	100% Solution Dye
Construction	Tufted Pattern Loop
Lifetime Antimicrobial	Intersept®
Soil/Stain Protection	Protekt ² ®
Pile Thickness	0.3 in., 7.62 mm
Pile Density	7,087
Total Recycled Content	80% (35% Post-Consumer)





PRODUCT UR203 COLOR 101396 FLAX INSTALLED QUARTER-TURN

UR203™ Colorline




101392 BARK



101393 CHARCOAL



101394 STRAW



101395 GRANITE



101396 FLAX



101397 STONE



101398 SAGE



101399 ASH

*Specifications

Modular, 50 cm x 50 cm	126970250H
Backing System	GlasBac®RE Tile
Yarn Manufacturer	Aquafil
Yarn System	100% Recycled Content Type 6 Nylon
Color System	100% Solution Dye
Construction	Tufted Pattern Loop
Lifetime Antimicrobial	Intersept®
Soil/Stain Protection	Protekt ² ®
Pile Thickness	0.305 in., 7.747 mm
Pile Density	7,258
Total Recycled Content	80%
	(35% Post-Consumer)



QUARTER-TURN

Urban Retreat™ Three

Elegance slips in quietly and confidently. At first blush, she seems modest and restrained. But as she moves slowly and deliberately through the space, her audience is beguiled by the details of her composition.

Enter Urban Retreat Three, a conspiracy of refined textures that are destined to seduce. The most uncommon of the three blankets the floor in shifting shades with the finest fissures, like French limestone that is somehow soft. A shimmering linen-like textile balances the set with a graceful scale. And it is the unadorned finish of the last that conveys the essence of Urban Retreat Three.

The three patterns in Urban Retreat Three share the same eight hues found in Urban Retreat Two. And both pair quite elegantly with Urban Retreat One.






PRODUCT UR301 COLOR 103523 SAGE INSTALLED NON DIRECTIONAL

UR301™ Colorline



103517 BARK



103518 CHARCOAL



103519 STRAW



103520 GRANITE



103521 FLAX



103522 STONE



103523 SAGE



103524 ASH

*Specifications

Modular, 50 cm x 50 cm	127130250H
Backing System	GlasBac®RE Tile
Yarn Manufacturer	Aquafil
Yarn System	100% Recycled Content Type 6 Nylon
Color System	100% Solution Dye
Construction	Tufted Sheared
Lifetime Antimicrobial	Intersept®
Soil/Stain Protection	Protekt ² ®
Pile Thickness	0.113 in., 2.8702 mm
Pile Density	8,283
Total Recycled Content	80%
	(35% Post-Consumer)



NON DIRECTIONAL



PRODUCT UR302 COLOR 102988 STONE INSTALLED MONOLITHIC

UR302™ Colorline



102983 BARK



102984 CHARCOAL



102985 STRAW



102986 GRANITE



102987 FLAX



102988 STONE



102989 SAGE



102990 ASH

*Specifications


Modular, 50 cm x 50 cm	127000250H
Backing System	GlasBac®RE Tile
Yarn Manufacturer	Aquafil
Yarn System	100% Recycled Content Type 6 Nylon
Color System	100% Solution Dye
Construction	Tufted Pattern Loop
Lifetime Antimicrobial	Intersept®
Soil/Stain Protection	Protekt ² ®
Pile Thickness	0.266 in., 6.7564 mm
Pile Density	8,217
Total Recycled Content	80%
	(35% Post-Consumer)





PRODUCT UR303 COLOR 102970 GRANITE INSTALLED MONOLITHIC

UR303™ Colorline



102967 BARK



102968 CHARCOAL



102969 STRAW



102970 GRANITE



102971 FLAX



102972 STONE



102973 SAGE



102974 ASH

*Specifications


Modular, 50 cm x 50 cm	126990250H
Backing System	GlasBac®RE Tile
Yarn Manufacturer	Aquafil
Yarn System	100% Recycled Content Type 6 Nylon
Color System	100% Solution Dye
Construction	Tufted Sheared
Lifetime Antimicrobial	Intersept®
Soil/Stain Protection	Protekt ² ®
Pile Thickness	0.102 in., 2.5908 mm
Pile Density	8,118
Total Recycled Content	79% (35% Post-Consumer)




MONOLITHIC

Design Ideas

Use the layout suggestions below to create your own unique floor designs.




PRODUCT UR101 **COLOR** 103502 CHARCOAL/LICHEN **INSTALLED** PATTERN BY TILE
PRODUCT UR102 **COLOR** 102992 CHARCOAL **INSTALLED** NON DIRECTIONAL



PRODUCT UR101 **COLOR** 103506 STONE/IVY **INSTALLED** PATTERN BY TILE



PRODUCT UR102 **COLORS** 102991 BARK, 102992 CHARCOAL, 102993 STRAW, 102994 GRANITE, 102995 FLAX, 102996 STONE, 102997 SAGE, 102998 ASH **INSTALLED** NON DIRECTIONAL
PRODUCT UR302 **COLOR** 102990 ASH **INSTALLED** MONOLITHIC



PRODUCT UR101 **COLOR** 103505 FLAX/GRASS **INSTALLED** PATTERN BY TILE
PRODUCT UR102 **COLORS** 102995 FLAX **INSTALLED** NON DIRECTIONAL
PRODUCT UR103 **COLORS** 100641 GRASS **INSTALLED** NON DIRECTIONAL

Why Our Modular Carpet?



Modular Carpet Tile

Performance and Flexibility. Interface's standard backing systems set the industry standard for modular performance. Tiles stay on the floor with no upcurl, no tapping and no rippling effect, yet are easy to selectively replace. Our modular carpet is also easier to handle, install and maintain than bulky roll carpet. And, it installs with less waste so you save time and money — 3-4% for typical modular carpet compared to an average waste factor of 14% for traditional roll carpet.



Cool Carpet™

Help Stop Global Warming and Earn a LEED® Innovation Credit. ALL Interface modular carpet sold in North America is third party verified climate neutral Cool Carpet. Cool Carpet zeros out all greenhouse gas (GHG) emissions associated with the entire lifecycle of your carpet. And climate neutral verified Cool Carpet may be eligible for a USGBC LEED Innovation Credit.



TacTiles®

No Glue Installation. Our revolutionary TacTiles® installation system eliminates the need for glue, adhering tiles securely together to form a floor that “floats” for greater flexibility, easier replacement and long-term performance. The result? Less mess, less waste and virtually no VOCs, not to mention an environmental footprint that is over 90% lower than that of traditional glue adhesives.

Samples

Order samples at www.interface.com. You'll receive email order confirmations, 24/7 access to order status and more. Not near a computer? You can also request samples by calling one of the numbers below.

United States	Canada
1 877 605 1500	1 866 398 3192

Brazil	Latin America
+ 55 11 2196 0902	+ 55 11 2196 0900

www.interface.com

Register at www.interface.com to:

- Order Samples
- View carpet in a variety of room scenes and even upload your own room
- Use our LEED Calculator
- Check order status and inventory availability
- Sign up to get the latest information on Interface products and news

InterCircle™ Sample Return

Help us close the loop on the carpet sampling process. Through our InterCircle Sample Return program, sample materials stay out of the landfill and are re-used as samples until it is time to recycle them into new carpet. By reducing sample production material and diverting old materials from the landfill, we can reduce our overall environmental footprint.

Call 1 877 605 1500 (U.S.) or 1 866 398 3192 (Canada) to order a sample return bag with a prepaid return label.

Third Party Certification

cool carpet™

Cool Carpet – Our third party verified carbon offset program zeroes out all greenhouse gas (GHG) emissions associated with the entire lifecycle of your carpet.



Environmental Product Declaration (EPD) – A statement of product ingredients and environmental impacts over the entire life cycle of a product. A comprehensive life cycle assessment (LCA) is performed to ISO standards to develop an EPD, after which both the EPD and LCA must be third party verified.



Sustainable Carpet Assessment Standard (SCAS) – The only carpet sustainability standard in North America that evaluates the environmental impact of carpet for its entire lifecycle.



CRI Green Label Plus – An independent testing program that identifies carpet and adhesives with very low emissions of VOCs to help improve indoor air quality.



Intersept®

Mold Protection. Our proprietary antimicrobial preservative, Intersept, protects our modular carpet against mold growth and odor-causing bacteria — guaranteed. Intersept treated carpet, with proper maintenance, shows no mold or bacterial growth when tested per the ASTM E2471 Standard Test Method. Intersept is low in toxicity, water insoluble and contains no arsenic, heavy metals, phenols or formaldehyde.



ReEntry® 2.0

Recyclable is Now a Reality. Our ReEntry 2.0 program uses innovative technology that gives us the ability to cleanly separate the face fiber and backing of nearly any carpet type. Separated Type 6 and 6,6 nylon are recycled into new 6 and 6,6 nylon, while separated GlasBac® and similar competitor backings are recycled into new non-virgin PVC backing using our Cool Blue™ technology. At Interface, this results in Convert™— a groundbreaking design platform for modular carpet manufactured with a full color spectrum of post-consumer content yarn.



Sustainable Choice

Environmental Responsibility. Interface was the industry's first to earn an EPD (Environmental Product Declaration), which evaluates consistent factors based on full lifecycle assessment (LCA). We achieved an EPD based on our Convert products and have now expanded our EPDs into four categories covering more than 90% of our products.

In addition, all Interface products with GlasBac®RE backing meet the Platinum level of the NSF/ANSI 140 Sustainable Carpet Assessment Standard (SCAS). GlasBac or NexStep® backed products meet the Gold level. All contribute toward a USGBC LEED Innovation Credit.

*Production specifications are subject to normal manufacturing tolerances and may be changed without notice. Slight variation in color among different production lots are normal and should be considered in the overall installation plan. Products covered by manufacturer's written warranty only. All other warranties, including without limitation any implied warranties of merchantability or fitness for particular purpose, are hereby disclaimed. Contact your representative for written warranty information. Recycled content calculations are based on historical averages by total weight of the product. We update our recycled content information and other environmental data regularly to reflect changes and advancements in our technology. Post-consumer content comes from reclaimed carpet.



RECYCLED
Paper made from
recycled material
FSC® C009723



PLEASE RECYCLE

Printed on 50% post consumer waste (PCW) fiber manufactured using wind power.

We have tried our very best to accurately represent product colors. However, due to the nature of printed materials, color of actual products may vary slightly. Please request a sample to see actual product color.

www.interface.com

United States

Interface, LLC
1503 Orchard Hill Road
LaGrange, GA 30240
1.800.336.0225 ext.6511

Canada

Interface Canada, Inc.
233 Lahr Drive
Belleville, ON K8N 5S2
1.800.267.2149 ext.2128

Interface Brazil

Edifício Igarassu
Rua Surubim, 577 - Conjuntos
73/74 7º Andar
04571-050 - São Paulo - SP
+ 55 11 2196 0900

CIM # IFS00575 06/2012



Mission Zero:

our promise to eliminate any
negative impact our company
may have on the environment
by the year 2020.