Net Effec

Interface®

First photographed from space in 1968, that image of Earth, the little blue planet, reframed our relationship to our world and to one another forever. Suddenly it was clear that the oceans we all share make us unique in the universe.

Discarded fishing nets have been part of the mix of our 100% recycled content type 6 nylon since 2011 when our partner, Aquafil, began incorporating them into the yarn they sell us. Last year, we saw an opportunity to expand the positive impacts of this design solution. Designed as a tribute, Net Effect honors the ocean not only in its aesthetic references but also in a unique and tangible way through a project called Net-Works.

Net-Works provides a source of income for small fishing villages in the Philippines, while cleaning up their beaches and waters of discarded fishing nets that threaten their livelihood and the very precious double barrier reef off their shore. The collected nets are sold to Aquafil, who, in turn, converts them into yarn for Interface carpet tile – a very bright (blue) idea for a greener future.

Net Effect One is a grouping of three textures in 50 cm squares that, when placed side by side, describes the precise moment when the sea foams into the shore creating organic imagery. Each pattern also has a life of its own as it floods the floor with movement and color. B601™ has a more pronounced texture with shimmering lighter ends on top of deeper tones. B603™ takes a deep dive into a more dense construction and B602™ is the transition between the two.

Net Effect Two includes three products in our new $25~\text{cm} \times 1~\text{m}$ skinny plank format that captures the fluidity of water even in linear patterns with expanding and contracting rhythms. Discover the nuance of transitions when the three different textures – $B701^{\text{TM}}$, $B702^{\text{TM}}$ and $B703^{\text{TM}}$ – are set side by side in the same color. Or reimagine the complexity of light moving through water by mingling several of the eight colors into one composition. The shared palette was drawn from the deepest parts of the ocean to the sun and salt bleached wood and stones of the shore.

An elegant design solution for the floor and a socially responsible design solution for a fragile economy – that's a very positive Net Effect.










B601[™] Colourline






B602[™] Colourline





B603[™] Colourline









B701[™] Colourline



7431-001-000 Black Sea



7431-002-000 North Sea



7431-003-000 Pacific



7431-004-000 Arctic



7431-005-000 Atlantic



7431-006-000 Caspian




7431-007-000 Sand



7431-008-000 Driftwood



B702[™] Colourline




7432-007-000 Sand 7432-008-000 Driftwood





B703[™] Colourline























Specifications

B601™

Style Code 7414 Pattern 000
Product Definition Tufted Textured Loop
Yarn/Fibre 100% Non-virgin Type 6 Nylon

Colour System 100% Solution Dyed Machine Gauge 1/10

Area of Use Commercial – General Duty

Lifetime Antimicrobial Intersept® Soil/Stain Protection Protekt^{2®}

Total Recycled Content GlasBac® 65% to 70% recycled content GlasBac®RE 80% to 85% recycled content

Installation Methods Non-directional



B602™

Style Code 7416 Pattern 000
Product Definition Tufted Textured Loop
Yarn/Fibre 100% Non-virgin Type 6 Nylon
Colour System 100% Solution Dyed

 Machine Gauge
 1/10

 Pile Thickness
 4.0mm +/- 0.5mm

 Total Thickness
 8.0mm +/- 0.5mm

 Tile Size
 50cm x 50cm

Area of Use Commercial – General Duty

Lifetime Antimicrobial Intersept® Soil/Stain Protection Protekt^{2®}

Total Recycled Content GlasBac® 65% to 70% recycled content GlasBac®RE 80% to 85% recycled content

Installation Methods Non-directional



B603™

Style Code 7418 Pattern 000
Product Definition Tufted Textured Loop
Yarn/Fibre 100% Non-virgin Type 6 Nylon
Colour System 100% Solution Dyed

Machine Gauge 1/10
Pile Thickness 3.0mm +/- 0.5mm
Total Thickness 7.0mm +/- 0.5mm

Tile Size 50cm x 50cm Area of Use Commercial – Heavy Duty

Lifetime Antimicrobial Intersept® Soil/Stain Protection Protekt^{2®}

Total Recycled Content GlasBac® 65% to 70% recycled content GlasBac®RE 80% to 85% recycled content

Installation Methods Non-directional



Specifications

B701™

Tile Size

Style Code Product Definition Yarn/Fibre

Colour System

Machine Gauge Pile Thickness Total Thickness

Area of Use Lifetime Antimicrobial Soil/Stain Protection

Total Recycled Content

Installation Methods





B702™

Style Code **Product Definition** Yarn/Fibre Colour System

Machine Gauge Pile Thickness Total Thickness Tile Size Area of Use

Lifetime Antimicrobial Soil/Stain Protection

Total Recycled Content

Installation Methods



B703™

Style Code Product Definition Yarn/Fibre Colour System Machine Gauge Pile Thickness Total Thickness

Tile Size Area of Use

Lifetime Antimicrobial Soil/Stain Protection

Total Recycled Content

Installation Methods





7431 Pattern 000

Tufted Textured Tip Sheared Loop 100% Non-virgin Type 6 Nylon

100% Solution Dyed

3.5mm +/- 0.5mm 6.5mm +/- 0.5mm 25cm x 100cm

Commercial - Heavy Duty

Intersept® Protekt^{2®}

GlasBac® 65% to 70% recycled content GlasBac®RE 80% to 85% recycled content

Ashlar, Herringbone



100% Non-virgin Type 6 Nylon

100% Solution Dyed 1/10 3.0mm +/- 0.5mm 6.0mm +/- 0.5mm

25cm x 100cm Commercial - Heavy Duty

Intersept®

Protekt^{2®}

GlasBac® 65% to 70% recycled content GlasBac®RE 80% to 85% recycled content

Ashlar, Herringbone

7434 Pattern 000

Tufted Cut Pile 100% Non-virgin Type 6 Nylon

100% Solution Dyed 5/64

1.5mm +/- 0.5mm 4.5mm +/- 0.5mm 25cm x 100cm

Commercial - Heavy Duty

Intersept® Protekt^{2®}

GlasBac® 65% to 70% recycled content GlasBac®RE 80% to 85% recycled content

Ashlar, Herringbone















CoolCarpet[™] Intersept®

Production specifications are subject to normal manufacturing tolerances and may be changed without notice. Slight variation in colour among different production lots are normal and should be considered in the overall installation plan. Products covered by manufacturer's written warranty only. All other warranties, including without limitation any implied warranties of merchantability or fitness for particular purpose, are hereby disclaimed. Contact your representative for written warranty information. Recycled content calculations are based on historical averages by total weight of the product for backings. Yarn/Fibre recycled content calculation excludes backing. We update our recycled content information and other environmental data regularly to reflect changes and advancements in our technology.

www.interface.com

South East Asia

Interface Asia tel: 65-6478 1510 seaweb@interface.com

Japan

Interface Japan tel: 81-3-5733 5211 jpnweb@interface.com

South Korea

Interface Korea tel: 82-2-555 1734 seaweb@interface.com

Beijing Studio

Interface China tel: 86-10-6590 7810 cnweb@interface.com

Hongkong Studio

Interface China tel: 852-2802 0838 hkgweb@interface.com

Shanghai Studio

Interface China tel: 86-21-6340 3868 cnweb@interface.com

Australia

Interface Australia tel: local toll free 1800 008101 www.interface.com.au



Mission Zero:

our promise to eliminate any negative impact our company may have on the environment by the year 2020.